


## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (canceled).
2. (currently amended) The compound according to ~~Claim 1~~ of the Formula A-1:



wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: -NR<sup>5</sup>R<sup>6</sup> and heterocycle, said heterocycle which is optionally substituted with one to three R<sup>z</sup>;

R<sup>1</sup> is independently selected from:

- 1) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkynyl,

- 5)  $(\text{C}=\text{O})_a\text{O}_b$  heterocyclyl,
- 6)  $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$  cycloalkyl,
- 7)  $\text{CO}_2\text{H}$ ,
- 8) halo,
- 9)  $\text{CN}$ ,
- 10)  $\text{OH}$ ,
- 11)  $\text{O}_b\text{C}_1\text{-C}_6$  perfluoroalkyl,
- 12)  $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$ ,
- 13)  $\text{NR}^c(\text{C}=\text{O})\text{NR}^5\text{R}^6$ ,
- 14)  $\text{S}(\text{O})_m\text{R}^a$ ,
- 15)  $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$ ,
- 16)  $\text{NR}^c\text{S}(\text{O})_m\text{R}^a$ ,
- 17) oxo,
- 18)  $\text{CHO}$ ,
- 19)  $\text{NO}_2$ ,
- 20)  $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$ ,
- 21)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$  alkyl,
- 22)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$  cycloalkyl,
- 23)  $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 24)  $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from  $\text{R}^Z$ ;

$\text{R}^2$  is independently selected from:

- 1)  $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$  alkyl,
- 2)  $(\text{C}=\text{O})_a\text{O}_b$ aryl,
- 3)  $\text{C}_2\text{-C}_{10}$  alkenyl,
- 4)  $\text{C}_2\text{-C}_{10}$  alkynyl,
- 5)  $(\text{C}=\text{O})_a\text{O}_b$  heterocyclyl,
- 6)  $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$  cycloalkyl,
- 7)  $\text{CO}_2\text{H}$ ,
- 8) halo,
- 9)  $\text{CN}$ ,
- 10)  $\text{OH}$ ,
- 11)  $\text{O}_b\text{C}_1\text{-C}_6$  perfluoroalkyl,
- 12)  $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$ ,
- 13)  $\text{NR}^5(\text{C}=\text{O})\text{NR}^5\text{R}^6$ ,

- 14)  $S(O)_m R^a$ ,
- 15)  $S(O)_2 N R^5 R^6$ ,
- 16)  $N R^5 S(O)_m R^a$ ,
- 17)  $CHO$ ,
- 18)  $NO_2$ ,
- 19)  $N R^c (C=O) O_b R^a$ ,
- 20)  $O(C=O) O_b C_1-C_{10}$  alkyl,
- 21)  $O(C=O) O_b C_3-C_8$  cycloalkyl,
- 22)  $O(C=O) O_b$  aryl, and
- 23)  $O(C=O) O_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from  $R^Z$ ;

$R^5$  and  $R^6$  are independently selected from:

- 1)  $H$ ,
- 2)  $(C=O) O_b R^a$ ,
- 3)  $C_1-C_{10}$  alkyl,
- 4) aryl,
- 5)  $C_2-C_{10}$  alkenyl,
- 6)  $C_2-C_{10}$  alkynyl,
- 7) heterocyclyl,
- 8)  $C_3-C_8$  cycloalkyl,
- 9)  $SO_2 R^a$ , and
- 10)  $(C=O) N R^b_2$ ,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from  $R^Z$ , or

$R^5$  and  $R^6$  can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from  $R^Z$ ;

$R^Z$  is selected from:

- 1)  $(C=O)_r O_s (C_1-C_{10})$  alkyl,
- 2)  $O_r (C_1-C_3)$  perfluoroalkyl,
- 3)  $(C_0-C_6)$  alkylene- $S(O)_m R^a$ ,
- 4) oxo,

- 5) OH,
- 6) halo,
- 7) CN,
- 8)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkenyl}$ ,
- 9)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkynyl}$ ,
- 10)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_3\text{-C}_6)\text{cycloalkyl}$ ,
- 11)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-aryl}$ ,
- 12)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$ ,
- 13)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^b)_2$ ,
- 14)  $\text{C(O)R}^a$ ,
- 15)  $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$ ,
- 16)  $\text{C(O)H}$ ,
- 17)  $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$ ,
- 18)  $\text{C(O)N(R}^b)_2$ ,
- 19)  $\text{S(O)}_m\text{R}^a$ ,
- 20)  $\text{S(O)}_2\text{N(R}^b)_2$ ,
- 21)  $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$ ,
- 22)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}\text{ alkyl}$ ,
- 23)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8\text{ cycloalkyl}$ ,
- 24)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{aryl}$ , and
- 25)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{-heterocycle}$ ,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from  $\text{R}^b$ , OH,  $(\text{C}_1\text{-C}_6)\text{alkoxy}$ , halogen,  $\text{CO}_2\text{H}$ , CN,  $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$ , oxo, and  $\text{N(R}^b)_2$ ;

$\text{R}^a$  is substituted or unsubstituted  $(\text{C}_1\text{-C}_6)\text{alkyl}$ , substituted or unsubstituted  $(\text{C}_2\text{-C}_6)\text{alkenyl}$ , substituted or unsubstituted  $(\text{C}_2\text{-C}_6)\text{alkynyl}$ , substituted or unsubstituted  $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$ , substituted or unsubstituted aryl,  $(\text{C}_1\text{-C}_6)\text{perfluoroalkyl}$ , 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

$\text{R}^b$  is H,  $(\text{C}_1\text{-C}_6)\text{alkyl}$ , substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl,  $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$ ,  $(\text{C}=\text{O})\text{OC}_1\text{-C}_6\text{ alkyl}$ ,  $(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$  or  $\text{S(O)}_2\text{R}^a$ ;

$\text{R}^c$  is selected from:


- 1) H,
- 2)  $\text{C}_1\text{-C}_{10}\text{ alkyl}$ ,
- 3) aryl,

- 4) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 5) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 6) heterocyclyl,
- 7) C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 8) C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>Z</sup>, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

3. (currently amended) The compound ~~according to Claim 1~~ of the Formula B:



wherein:

- a is 0 or 1;
- b is 0 or 1;
- m is 0, 1 or 2;
- n is 0, 1, 2 or 3;
- p is 0, 1 or 2;
- r is 0 or 1;
- s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: -NR<sup>5</sup>R<sup>6</sup> and heterocycle, said heterocycle which is optionally substituted with one to three R<sup>Z</sup>;

R<sup>1</sup> is independently selected from:

- 1) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 7) CO<sub>2</sub>H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O<sub>b</sub>C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,
- 12) O<sub>a</sub>(C=O)<sub>b</sub>NR<sup>5</sup>R<sup>6</sup>,
- 13) NR<sup>c</sup>(C=O)NR<sup>5</sup>R<sup>6</sup>,
- 14) S(O)<sub>m</sub>R<sup>a</sup>,
- 15) S(O)<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>,
- 16) NR<sup>c</sup>S(O)<sub>m</sub>R<sup>a</sup>,
- 17) oxo,
- 18) CHO,
- 19) NO<sub>2</sub>,
- 20) NR<sup>c</sup>(C=O)O<sub>b</sub>R<sup>a</sup>,
- 21) O(C=O)O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 22) O(C=O)O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 23) O(C=O)O<sub>b</sub>aryl, and
- 24) O(C=O)O<sub>b</sub>-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>Z</sup>;

R<sup>2</sup> is independently selected from:

- 1) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 7) CO<sub>2</sub>H,
- 8) halo,

- 9) CN,
- 10) OH,
- 11)  $O_bC_1-C_6$  perfluoroalkyl,
- 12)  $O_a(C=O)_bNR^5R^6$ ,
- 13)  $NR^5(C=O)NR^5R^6$ ,
- 14)  $S(O)_mR^a$ ,
- 15)  $S(O)_2NR^5R^6$ ,
- 16)  $NR^5S(O)_mR^a$ ,
- 17) CHO,
- 18)  $NO_2$ ,
- 19)  $NR^c(C=O)O_bR^a$ ,
- 20)  $O(C=O)O_bC_1-C_{10}$  alkyl,
- 21)  $O(C=O)O_bC_3-C_8$  cycloalkyl,
- 22)  $O(C=O)O_b$ aryl, and
- 23)  $O(C=O)O_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from  $R^Z$ ;

$R^5$  and  $R^6$  are independently selected from:

- 1) H,
- 2)  $(C=O)O_bR^a$ ,
- 3)  $C_1-C_{10}$  alkyl,
- 4) aryl,
- 5)  $C_2-C_{10}$  alkenyl,
- 6)  $C_2-C_{10}$  alkynyl,
- 7) heterocyclyl,
- 8)  $C_3-C_8$  cycloalkyl,
- 9)  $SO_2R^a$ , and
- 10)  $(C=O)NR^b_2$ ,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from  $R^Z$ , or

$R^5$  and  $R^6$  can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from  $R^Z$ ;

R<sup>Z</sup> is selected from:

- 1) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>1</sub>-C<sub>10</sub>)alkyl,
- 2) O<sub>r</sub>(C<sub>1</sub>-C<sub>3</sub>)perfluoroalkyl,
- 3) (C<sub>0</sub>-C<sub>6</sub>)alkylene-S(O)<sub>m</sub>R<sup>a</sup>,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>2</sub>-C<sub>10</sub>)alkenyl,
- 9) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>2</sub>-C<sub>10</sub>)alkynyl,
- 10) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl,
- 11) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-aryl,
- 12) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-heterocyclyl,
- 13) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-N(R<sup>b</sup>)<sub>2</sub>,
- 14) C(O)R<sup>a</sup>,
- 15) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>,
- 16) C(O)H,
- 17) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 18) C(O)N(R<sup>b</sup>)<sub>2</sub>,
- 19) S(O)<sub>m</sub>R<sup>a</sup>,
- 20) S(O)<sub>2</sub>N(R<sup>b</sup>)<sub>2</sub>,
- 21) NR<sup>c</sup>(C=O)O<sub>b</sub>R<sup>a</sup>,
- 22) O(C=O)O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 23) O(C=O)O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 24) O(C=O)O<sub>b</sub>aryl, and
- 25) O(C=O)O<sub>b</sub>-heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

R<sup>a</sup> is substituted or unsubstituted (C<sub>1</sub>-C<sub>6</sub>)alkyl, substituted or unsubstituted (C<sub>2</sub>-C<sub>6</sub>)alkenyl, substituted or unsubstituted (C<sub>2</sub>-C<sub>6</sub>)alkynyl, substituted or unsubstituted (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, substituted or unsubstituted aryl, (C<sub>1</sub>-C<sub>6</sub>)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

R<sup>b</sup> is H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, (C=O)OC<sub>1</sub>-C<sub>6</sub> alkyl, (C=O)C<sub>1</sub>-C<sub>6</sub> alkyl or S(O)<sub>2</sub>R<sup>a</sup>;




R<sup>C</sup> is selected from:

- 1) H,
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) aryl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 5) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 6) heterocyclyl,
- 7) C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 8) C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>Z</sup>, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

4. (previously presented) The compound according to Claim 3 of the Formula B:



wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: -NR<sup>5</sup>R<sup>6</sup>, benzimidazolyl, benzimidazolonyl, quinolinyl and isoquinolinyl, said benzimidazolyl, benzimidazolonyl, quinolinyl and isoquinolinyl which are optionally substituted with one or two R<sup>Z</sup>;

R<sup>1</sup> is independently selected from:

- 1) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 7) CO<sub>2</sub>H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O<sub>b</sub>C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,
- 12) O<sub>a</sub>(C=O)<sub>b</sub>NR<sup>5</sup>R<sup>6</sup>,
- 13) NR<sup>c</sup>(C=O)NR<sup>5</sup>R<sup>6</sup>,
- 14) S(O)<sub>m</sub>R<sup>a</sup>,
- 15) S(O)<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>,
- 16) NR<sup>c</sup>S(O)<sub>m</sub>R<sup>a</sup>,
- 17) oxo,
- 18) CHO,
- 19) NO<sub>2</sub>,
- 20) NR<sup>c</sup>(C=O)O<sub>b</sub>R<sup>a</sup>,
- 21) O(C=O)O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 22) O(C=O)O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 23) O(C=O)O<sub>b</sub>aryl, and
- 24) O(C=O)O<sub>b</sub>-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>Z</sup>;

R<sup>2</sup> is independently selected from:

- 1) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkynyl,

- 5)  $(\text{C}=\text{O})_a\text{O}_b$  heterocyclyl,
- 6)  $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$  cycloalkyl,
- 7)  $\text{CO}_2\text{H}$ ,
- 8) halo,
- 9)  $\text{CN}$ ,
- 10)  $\text{OH}$ ,
- 11)  $\text{O}_b\text{C}_1\text{-C}_6$  perfluoroalkyl,
- 12)  $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$ ,
- 13)  $\text{NR}^c(\text{C}=\text{O})\text{NR}^5\text{R}^6$ ,
- 14)  $\text{S}(\text{O})_m\text{R}^a$ ,
- 15)  $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$ ,
- 16)  $\text{NR}^c\text{S}(\text{O})_m\text{R}^a$ ,
- 17)  $\text{CHO}$ ,
- 18)  $\text{NO}_2$ ,
- 19)  $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$ ,
- 20)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$  alkyl,
- 21)  $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$  cycloalkyl,
- 22)  $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 23)  $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from  $\text{R}^Z$ ;

$\text{R}^5$  and  $\text{R}^6$  are independently selected from:

- 1)  $\text{H}$ ,
- 2)  $(\text{C}=\text{O})\text{O}_b\text{R}^a$ ,
- 3)  $\text{C}_1\text{-C}_{10}$  alkyl,
- 4) aryl,
- 5)  $\text{C}_2\text{-C}_{10}$  alkenyl,
- 6)  $\text{C}_2\text{-C}_{10}$  alkynyl,
- 7) heterocyclyl,
- 8)  $\text{C}_3\text{-C}_8$  cycloalkyl,
- 9)  $\text{SO}_2\text{R}^a$ , and
- 10)  $(\text{C}=\text{O})\text{NR}^b_2$ ,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from  $\text{R}^Z$ , or

$R^5$  and  $R^6$  can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from  $R^Z$ ;

$R^Z$  is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})alkyl$ ,
- 2)  $O_r(C_1-C_3)perfluoroalkyl$ ,
- 3)  $(C_0-C_6)alkylene-S(O)_mR^a$ ,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8)  $(C=O)_rO_s(C_2-C_{10})alkenyl$ ,
- 9)  $(C=O)_rO_s(C_2-C_{10})alkynyl$ ,
- 10)  $(C=O)_rO_s(C_3-C_6)cycloalkyl$ ,
- 11)  $(C=O)_rO_s(C_0-C_6)alkylene-aryl$ ,
- 12)  $(C=O)_rO_s(C_0-C_6)alkylene-heterocyclyl$ ,
- 13)  $(C=O)_rO_s(C_0-C_6)alkylene-N(R^b)_2$ ,
- 14)  $C(O)R^a$ ,
- 15)  $(C_0-C_6)alkylene-CO_2R^a$ ,
- 16)  $C(O)H$ ,
- 17)  $(C_0-C_6)alkylene-CO_2H$ ,
- 18)  $C(O)N(R^b)_2$ ,
- 19)  $S(O)_mR^a$ ,
- 20)  $S(O)_2N(R^b)_2$ ,
- 21)  $NR^c(C=O)O_bR^a$ ,
- 22)  $O(C=O)O_bC_1-C_{10} alkyl$ ,
- 23)  $O(C=O)O_bC_3-C_8 cycloalkyl$ ,
- 24)  $O(C=O)O_baryl$ , and
- 25)  $O(C=O)O_b-heterocycle$ ,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from  $R^b$ , OH,  $(C_1-C_6)alkoxy$ , halogen,  $CO_2H$ , CN,  $O(C=O)C_1-C_6 alkyl$ , oxo, and  $N(R^b)_2$ ;

$R^a$  is  $(C_1-C_6)alkyl$ ,  $(C_3-C_6)cycloalkyl$ , aryl, or heterocyclyl; and

R<sup>b</sup> is H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl, (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, (C=O)OC<sub>1</sub>-C<sub>6</sub> alkyl, (C=O)C<sub>1</sub>-C<sub>6</sub> alkyl or S(O)<sub>2</sub>R<sup>a</sup>;


R<sup>c</sup> is selected from:

- 1) H,
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) aryl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 5) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 6) heterocyclyl,
- 7) C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 8) C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>z</sup>, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

5. (previously presented) The compound according to Claim 4 of the Formula C:



wherein

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;


n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;



R<sup>1</sup> is independently selected from:

- 1) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 7) CO<sub>2</sub>H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O<sub>b</sub>C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,
- 12) O<sub>a</sub>(C=O)<sub>b</sub>NR<sup>5</sup>R<sup>6</sup>,
- 13) NR<sup>c</sup>(C=O)NR<sup>5</sup>R<sup>6</sup>,
- 14) S(O)<sub>m</sub>R<sup>a</sup>,
- 15) S(O)<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>,
- 16) NR<sup>c</sup>S(O)<sub>m</sub>R<sup>a</sup>,
- 17) oxo,
- 18) CHO,
- 19) NO<sub>2</sub>,
- 20) NR<sup>c</sup>(C=O)O<sub>b</sub>R<sup>a</sup>,
- 21) O(C=O)O<sub>b</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 22) O(C=O)O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 23) O(C=O)O<sub>b</sub>aryl, and
- 24) O(C=O)O<sub>b</sub>-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>Z</sup>;

R<sup>2</sup> is independently selected from:

- 1) C<sub>1</sub>-C<sub>6</sub> alkyl,
- 2) aryl,
- 3) heterocyclyl,
- 4) CO<sub>2</sub>H,
- 5) halo,
- 6) CN,
- 7) OH,
- 8) S(O)<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>,

said alkyl, aryl and heterocyclyl optionally substituted with one, two or three substituents selected from R<sup>Z</sup>;

R<sup>5</sup> and R<sup>6</sup> are independently selected from:

- 1) H,
- 2) (C=O)O<sup>b</sup>R<sup>a</sup>,
- 3) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 4) aryl,
- 5) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 6) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 7) heterocyclyl,
- 8) C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 9) SO<sub>2</sub>R<sup>a</sup>, and
- 10) (C=O)NR<sup>b</sup><sub>2</sub>,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>Z</sup>, or

R<sup>Z</sup> is selected from:

- 1) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>1</sub>-C<sub>10</sub>)alkyl,
- 2) O<sub>r</sub>(C<sub>1</sub>-C<sub>3</sub>)perfluoroalkyl,
- 3) (C<sub>0</sub>-C<sub>6</sub>)alkylene-S(O)<sub>m</sub>R<sup>a</sup>,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>2</sub>-C<sub>10</sub>)alkenyl,

- 9)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkynyl}$ ,
- 10)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_3\text{-C}_6)\text{cycloalkyl}$ ,
- 11)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-aryl}$ ,
- 12)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$ ,
- 13)  $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^b)_2$ ,
- 14)  $\text{C(O)R}^a$ ,
- 15)  $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$ ,
- 16)  $\text{C(O)H}$ ,
- 17)  $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$ ,
- 18)  $\text{C(O)N(R}^b)_2$ ,
- 19)  $\text{S(O)}_m\text{R}^a$ ,
- 20)  $\text{S(O)}_2\text{N(R}^b)_2$ ,
- 21)  $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$ ,
- 22)  $\text{O(C=O)O}_b\text{C}_1\text{-C}_{10}\text{ alkyl}$ ,
- 23)  $\text{O(C=O)O}_b\text{C}_3\text{-C}_8\text{ cycloalkyl}$ ,
- 24)  $\text{O(C=O)O}_b\text{aryl}$ , and
- 25)  $\text{O(C=O)O}_b\text{-heterocycle}$ ,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from  $\text{R}^b$ , OH,  $(\text{C}_1\text{-C}_6)\text{alkoxy}$ , halogen,  $\text{CO}_2\text{H}$ , CN,  $\text{O(C=O)C}_1\text{-C}_6\text{ alkyl}$ , oxo, and  $\text{N(R}^b)_2$ ;

$\text{R}^a$  is  $(\text{C}_1\text{-C}_6)\text{alkyl}$ ,  $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$ , aryl, or heterocyclyl; and

$\text{R}^b$  is H,  $(\text{C}_1\text{-C}_6)\text{alkyl}$ , aryl, heterocyclyl,  $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$ ,  $(\text{C}=\text{O})\text{OC}_1\text{-C}_6\text{ alkyl}$ ,  $(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$  or  $\text{S(O)}_2\text{R}^a$ ;

$\text{R}^c$  is selected from:

- 1) H,
- 2)  $\text{C}_1\text{-C}_{10}\text{ alkyl}$ ,
- 3) aryl,
- 4)  $\text{C}_2\text{-C}_{10}\text{ alkenyl}$ ,
- 5)  $\text{C}_2\text{-C}_{10}\text{ alkynyl}$ ,
- 6) heterocyclyl,
- 7)  $\text{C}_3\text{-C}_8\text{ cycloalkyl}$ ,
- 8)  $\text{C}_1\text{-C}_6\text{ perfluoroalkyl}$ ,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from  $\text{R}^z$ , or



or a pharmaceutically acceptable salt or a stereoisomer thereof.

6. (currently amended) A compound which is selected from:

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

N-[3-(1H-imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

1-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylpyrido[3,4-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

1-(1-{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl]piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

3,4-dichloro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

4-cyano-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

2,6-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-3-(trifluoromethyl)benzamide;

2,5-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

3,5-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;

4-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]amino)carbonyl]-1,3-thiazolidin-3-ium;

N-((3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

3-phenyl-2-[4-((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;

2-phenyl-3-[4-((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;

N-((3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-((3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-((3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-((3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

methyl 3-[[[1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl]amino)carbonyl]amino}benzoate;

N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

*N*<sup>2</sup>,*N*<sup>2</sup>-dimethyl-*N*<sup>1</sup>-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)]piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9*H*-purin-6-amine;

3-(4-{[4-(6-amino-9*H*-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9*H*-purin-6-amine;

2-(4-{[4-(6-amino-9*H*-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9*H*-purin-6-amine;

9-{1-[4-(3-phenylpyrido[3,4-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-9*H*-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-9*H*-purin-6-amine;

9-{1-[4-(2-phenylpyrido[2,3-*b*]pyrazin-3-yl)benzyl]piperidin-4-yl}-9*H*-purin-6-amine;

2-(4-{[4-(6-amino-9*H*-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

2-(4-{[4-(6-amino-9*H*-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-amino-9*H*-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

2-(4-{[4-(3*H*-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

2-(4-{[4-(3*H*-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

3-(4-{[4-(3*H*-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

2-(4-{[4-(3*H*-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-*b*]pyrazine;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1*H*-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2*H*-benzimidazol-2-one;

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

*N*<sup>2</sup>,*N*<sup>2</sup>-dimethyl-*N*<sup>1</sup>-[2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

*N*<sup>2</sup>,*N*<sup>2</sup>-dimethyl-*N*<sup>1</sup>-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

*N*-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

*N*-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-deoxy-2-([2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

2-deoxy-2-([3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl-2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl-2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline;

3-(4-{[4-(quinazolin-2-on-3-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(pyrid-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[3-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylamino-2-propyl)quinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;

N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-nitroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-aminoquinaxoline;

3-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-methylquinaxoline;

3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-chloroquinaxoline;

N,N-dimethyl-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

Ethyl 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-trifluoromethylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;

7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

6,7-dichloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

7-chloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;



7-methyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

N-[2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methanolsulfonamide;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

7-methyl-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

7-methyl-3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

7-chloro-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-chloro-3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

3-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-isopropyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-(3-fluorophenyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-phenyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-(4-bromobenzyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-4-bromobenzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-3,4-dimethoxybenzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)thien-2-ylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-2,2,2-trifluoroethylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)quinolin-7-ylsulfonamide;

4-phenyl-1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-1,2,3,4,5-trifluorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;

1-{1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;

2-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl]benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl]benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl]benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-1,8-naphthyridine;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

9-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

1-{1-[4-(3-Phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-(2-hydroxyethyl)-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-methyl-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-[3-(1H-imidazol-1-yl)propyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

7-bromo-2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-6-methyl-3-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-6-methyl-2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-3-(4-{[4-(2-methyl-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

7. (currently amended) The compound according to Claim 6 which is the TFA salt of a compound selected from:

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

N-[3-(1*H*-imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

1-{1-[4-(3-phenylpyrido[3,4-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

1-{1-[4-(2-phenylpyrido[3,4-*b*]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

2-(4-([3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl)phenyl)-3-phenylquinoxaline;

1-(1-(4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl)piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

3,4-dichloro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

4-cyano-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

2,6-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-3-(trifluoromethyl)benzamide;

2,5-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

3,5-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;

4-(((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)amino)carbonyl]-1,3-thiazolidin-3-ium;

N-((3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

3-phenyl-2-[4-(((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl)phenyl]quinoxaline-6-carboxylic acid;

2-phenyl-3-[4-(((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl)phenyl]quinoxaline-6-carboxylic acid;

N-((3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-((3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-((3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

N-((3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;



N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

methyl 3-{{{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}amino)carbonyl}amino}benzoate;

N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

N<sup>2</sup>,N<sup>2</sup>-dimethyl-N<sup>1</sup>-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

3-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-b]pyrazine;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

$N^2,N^2$ -dimethyl- $N^1$ -[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

$N^2,N^2$ -dimethyl- $N^1$ -[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-deoxy-2-([2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

2-deoxy-2-([3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(quinazolin-2-on-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(pyrid-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[3-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylamino-2-propyl)quinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;

N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-nitroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-aminoquinaxoline;

3-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-chloroquinaxoline;

N,N-dimethyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

Ethyl 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-trifluoromethylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;

7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

6,7-dichloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

7-chloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-methyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

N-[2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methylsulfonamide;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

7-methyl-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

7-methyl-3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

7-chloro-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-chloro-3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

3-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-isopropyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-(3-fluorophenyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-phenyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-(4-bromobenzyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-4-bromobenzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-3,4-dimethoxybenzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)thien-2-ylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-2,2,2-trifluoroethylsulfonamide;



N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)quinolin-7-ylsulfonamide;

4-phenyl-1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)1,2,3,4,5-trifluorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;

1-{1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;

2-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

9-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-(2-hydroxyethyl)-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-methyl-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-[3-(1H-imidazol-1-yl)propyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one.

8. (currently amended) The compound according to Claim 6 which is selected from:

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

4-cyano-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

9. (canceled)

10. (original) A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 6.

11. (original) A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 8.

12-18. (canceled)

19. (previously canceled)

20. (previously canceled)

21. (previously canceled)

22. (previously canceled)

23. (previously canceled)

24-25. (canceled)

26. (previously canceled)